

DECLARATION OF PERFORMANCE

According to Regulation (EU) Nr. 305/2011 of 9th March 2011

Nr. DoP_WWP_2026_06_SP

1. Unique identification code of the product-type:

Ondapress-36, Ondapress-57, Purio, Wellplatte P6, Wellplatte P9, ESAL Profil 8, ESAL Profil 5, ESAL Profil 6, EFASAL 8, EFASAL 5, EFASAL 36, EUROSIX-ESAL, VALOVITKA 5, 6 and 8 and fittings

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

V5, V6, V8, P6, P9, OP 57, OP 36, E6

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Fibre-cement profiled sheets and fittings according to EN494:2012+A1:2015

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Producer:

**SWISSPEARL GROUP AG
Eternitstrasse 3
CH 8867 Niederurnen
Switzerland**

Production plants:

**Swisspearl Schweiz AG, Niederurnen, Switzerland
Swisspearl Österreich GmbH, Vöcklabruck, Austria
Swisspearl Slovenija d.o.o., Deskle, Slovenia
Swisspearl Polska S.A , Trzemeszno, Poland**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Not-applicable

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 3

7. Notified bodies for type tests:

MPA Eberswalde -Materialprüfanstalt Brandenburg GmbH (Notified Body: 0763), Magistratsabteilung 39 - Prüf-, Überwachungs- und Zertifizierungsstelle der Stadt Wien (Notified Body: 1139), ZAG - ZAVOD ZA GRADBENISTVO SLOVENIJE (Notified Body: 1404). For profiled sheets produced by Swisspearl Schweiz AG the conformity to requirements of Standard EN 494:2012+A1:2015 through type tests is internally performed (reports: **F+E-Bericht 2015033 and 2015035**).

Notified bodies for fire tests:

L.S. Fire Testing Institute Srl (Notified Body: 2479), Materialprüfungsamt Nordrhein-Westfalen (MPA NRW) (Notified Body: 0432), Magistratsabteilung 39 - Prüf-, Überwachungs- und Zertifizierungsstelle der Stadt Wien (Notified Body: 1139), ZAG - ZAVOD ZA GRADBENISTVO SLOVENIJE (Notified Body: 1404).

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not-applicable

9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Type	NT	EN 494:2012+A1:2015
Mechanical resistance	Class C1X (Ondapress 57, Wellplatte P6, ESAL Profil 5, ESAL Profil 6, EFASAL 5, EUROSIX-ESAL, VALOVITKA 5, 6) Class B1X (Ondapress 36, Wellplatte P9, ESAL Profil 8, EFASAL 8, VALOVITKA 8)	
Resistance of roofs to external fire	B _{ROOF}	
Reaction to fire ^a	A1 (for uncoated panels: ESAL Profil 5, ESAL Profil 6, ESAL Profil 8, Ondapress 36, EFASAL 5, EFASAL 8, EFASAL 36, EUROSIX-ESAL, VALOVITKA 5, 6 and 8) A2-s1, d0	
Water impermeability	No water drops	
Dimensional stability ^a	<u>Panels</u> Length ± 10 mm Width +10/-5 mm Thickness ± 0.6 mm <u>Fittings</u> Length and Width ± 10 mm Thickness ± 1mm	
Release of dangerous substances ^a	No performance declared (NPD)	
Durability against - warm water - wet-dry - freeze-thaw - heat-rain	R _L ≥ 0.7 R _L ≥ 0.7 R _L ≥ 0.7 Fulfilled for coated panels / NPD for uncoated panels	
Impact resistance	Fulfilled with a span of 1080 mm (1380 mm for Wellplatte P6, Wellplatte P9) (No performance declared (NPD) for ESAL Profil 8, Ondapress 36, EFASAL 8, EFASAL 36 and VALOVITKA 8)	EN 15057:2006

^a Characteristics which apply to molded parts. All characteristics apply to corrugated panels.

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



Todd Alexander KriK Edlin
Head of Product Compliance
Swisspearl Group AG
Niederurnen, 11.06.2026



Joachim Ebenhoch
Global Director Innovation
Swisspearl Group AG
Niederurnen, 11.06.2026