

Declaration of PerformanceNo. 015/DoP

In accordance with Regulation (EU) No 305/2011 of the European Parliament and of the Council laying down harmonised conditions for the marketing of construction products (CPR EU 305/2011)

1. Unique identification code of the product-type:

Fibre-cement flat sheets

Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

Swisspearl Windstopper Extreme, Swisspearl Windstopper Connect (Swisspeael Windstopper Light, Windstopper Extreme, Windstopper Connect)

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Wind shielding for rigid underlayer applications

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Swisspearl Group AG Eternitstrasse 3 CH-8865 Niederurnen, Switzerland

Email: info@swisspearl.com

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Not applicable

5. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

AVCP System 4 / System 3



6a. Name and identification number of the notified body (in case of the declaration of performance concerning a construction product covered by a harmonised standard):

Manufacturer performed the Initial Type test according to EN12467.

PAVUS, a.s. Notified body No. 1391 Prosecká 412/74, 190 00 PRAHA 9 Prosek, Czech Republic

Notified Body performed reaction to fire and classification according to EN 13501-1.

Danish Technological Institute Notified body No. 1235 Kongsvang Allé 29 DK-8000 Aarhus C, Denmark

Notified Body performed Heat-rain testing according to EN 12467.

6b. Name and identification number of the Technical Assessment Body (in case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued):

Not applicable

7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Type of sheets	NT	EN 12467:2012+A2:2018 Fibre-cement flat sheets Product specification and test methods
Intended use category	A	
Class of strength	1	
Mechanical resistance	Min. 4 MPa	
Apparent density	≥ 1,30 g/cm ³	
Reaction to fire	A1, A1 _{FI}	
Water impermeability	No water drops	
Dimensional variations	Level I	
Release of dangerous substance	No performance determined	
Durability against warm water	R _L ≥ 0,75	
Durability against soak/dry	R _L ≥ 0,75	
Durability against freeze-thaw	R _L ≥ 0,75	
Durability against heat-rain	Pass	



8. Appropriate Technical Documentation and/or Specific Technical Documentation:

EN 12467:2012+A2:2018 Fibre-cement flat sheets Product specification and test methods

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

Todd Alexander Kirk Edlin

Technical Manager, Product Compliance Swisspearl Group AG

Niederurnen, 03.06.2025

Joachim Ebenhoch

Global Head of Innovation Swisspearl Group AG

Niederurnen, 03.06.2025