

## DECLARATION OF PERFORMANCE : (EU) No 305/2011 Corrugated PVC Sheet

All Ranges  
CE-PVCCS-000001-11


1. Marvec CS  
PVCCS-000001 - unique identification code of the product type
2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:  
Light transmitting extruded single skin profiled plastics sheets for internal and external roofs, wall and ceilings.
3. Name, registered trade name or registered trade mark and contact address of manufacturer as required pursuant to Article 11(5): Regulation (EU) No. 305/2011  
Brett Martin Plastic Sheets,  
24 Roughfort Road, Newtownabbey, Co. Antrim, BT36 4RB, United Kingdom.
4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2), Regulation (EU) No. 305/2011:  
Not relevant.
5. Number of the applicable system of assessment and verification of constancy of performance of the product as set out in Annex V: Regulation (EU) No. 305/2011:  
System 3.
6. In the case of a declaration of performance concerning a construction product covered by a harmonised standard:  
Number of harmonised standard :  
EN1013:2012 + A1:2014  
Name and identification number of the notified body :  
0833 - Warringtonfire Testing and Certification Limited.

**doplookup.com**

All Ranges


CE-PVCCS-000001-11

7. Declared performance:

 0833		
Brett Martin Plastic Sheets 24 Roughfort Road, Newtownabbey, Co Antrim, BT36 4RB, United Kingdom. 14		
EN1013:2012 + A1:2014		
Light-transmitting single skin profiled PVC sheets for: <ul style="list-style-type: none"> <li>• Discontinuously laid roof coverings for buildings</li> <li>• Internal and external wall and ceiling finishes</li> </ul>		
Essential characteristics	Performance	Harmonised Technical Specification
External fire performance	F <sub>roof</sub> (NPD)	EN1013
Reaction to fire	B-s2, d0	
Water vapour permeability	3,8 x 10 <sup>-5</sup> mg/m·h·Pa	
Water / air permeability	Pass	
Release of dangerous substances	NPD	
Dimensional tolerances	Pass	
<b>Shatter properties (safe breakability) as:</b>		
- Small hard body	Pass	
- Large soft body (assembly)	NPD	
Resistance to fixings	Principles of fixing are available on the Brett Martin website	

8. The performance of the products identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by :

Name: Michael Johnston  
 Function: Technical Services Manager  
 Place of Issue: Brett Martin Plastic Sheets  
 24 Roughfort Road, Newtownabbey, Co. Antrim, BT36 4RB, United Kingdom.  
 Date of Issue: 13 February 2022  
 Signature: 

[doplookup.com](http://doplookup.com)

Israel  
USA  
Europe  
UK  
Australia  
Far-East



## Marketing Support

PALRAM Industries Ltd.

Ramat Yohanan 30035, Israel

Tel ▶ +972 (4) 8459900 | Fax ▶ +972 (4) 8459849

E-mail ▶ [michel.allouch@palram.com](mailto:michel.allouch@palram.com) | Website ▶ [www.palram.com](http://www.palram.com)

*Thermoplastic Sheets for Construction, Industry, Advertising and Agriculture*

## Declaration of performance Under the CPR EU 305/2011

1. Unique identification code of the product-type:

**Suntuf – light transmitting Corrugated Polycarbonate sheets**

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR: **Suntuf light transmitting Corrugated Polycarbonate sheets**

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Light transmitting corrugated single skin polycarbonate sheets for roof and wall covering**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**Palram Europe Ltd.**

Unit 2, Doncaster Carr Industrial Estate

White Rose Way, Doncaster DN4 5JH, United-Kingdom

Tel: +44 1302 380777

Fax: +44 1302 380778

E-mail: [sales.europe@palram.com](mailto:sales.europe@palram.com)

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2): **Not applicable**

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: **System 3**

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard : **Not applicable**

8. Declared performance

Essential characteristics Performance Harmonized technical specification

**EN 1013**

Essential characteristic	Notes
Impact resistance	Pass
Reaction to fire	B, s1, d0
Water vapor permeability	$3.8 \times 10^{-5}$
Water/air permeability	Pass
Dimensional tolerances	Pass
Durability as variation of YI	White opal PC: A2 All other: A1
Release of dangerous substances	NPD

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by: **Eldad Vardi**  
Quality Assurance Manager